

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Amendments to the Claims

Claim 1 (Currently amended): An apparatus for use with substantially tall poles comprising:
a covering layer of non-corrosive material positionable around at least a part of a pole exterior;
wherein the covering layer comprises texturing.

Claim 2 (Original): The apparatus of claim 1 wherein the pole is 30 foot or longer when assembled.

Claim 3 (Original): The apparatus of claim 1 wherein the pole is made of tubular material.

Claim 4 (Original): The apparatus of claim 3 wherein the tubular material is steel.

Claim 5 (Original): The apparatus of claim 1 wherein the pole is tapered.

Claim 6 (Original): The apparatus of claim 1 wherein the pole is slip-fittable to a base positioned in the ground or on a support.

Claim 7 (Original): The apparatus of claim 1 wherein the poles are elongated for elevating lighting fixtures on cross-arms.

Claim 8 (Original): The apparatus of claim 1 wherein the pole comprises a plurality of sections.

Claim 9 (Original): The apparatus of claim 8 wherein the sections slip-fit together.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 10 (Original): The apparatus of claim 8 wherein the apparatus comprises an independent covering layer for each pole section.

Claim 11 (Original): The apparatus of claim 10 wherein each of the plurality of covering layers overlaps an adjacent covering layer.

Claim 12 (Original): The apparatus of claim 11 wherein the overlapping is succeeding lower parts over preceding upper parts of covering layers.

Claim 13 (Original): The apparatus of claim 1 wherein the covering layer comprises a sheet material adapted to be wrapped around a pole.

Claim 14 (Original): The apparatus of claim 13 wherein the sheet material is flexible.

Claim 15 (Original): The apparatus of claim 13 wherein the sheet material comprises vinyl.

Claim 16 (Original): The apparatus of claim 15 wherein the vinyl comprises a vinyl/acrylic alloy.

Claim 17 (Original): The apparatus of claim 13 wherein the sheet material is a fraction of an inch thick.

Claim 18 (Original): The apparatus of claim 17 wherein the fraction of an inch thick is approximately .040 inches thick.

Claim 19 (Original): The apparatus of claim 13 wherein the sheet material has top, bottom and opposite side edges.

Claim 20 (Original): The apparatus of claim 19 wherein opposite side edges are rolled into a U-shape, both on the same side of the sheet material.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 21 (Original): The apparatus of claim 13 wherein the sheet material is trapezoidal when in a flat configuration.

Claim 22 (Original): The apparatus of claim 13 wherein the sheet material is trapezoidal in a flat orientation and includes rolled edges along opposite converging side edges.

Claim 23 (Original): The apparatus of claim 22 wherein the width of the sheet material is predesigned such that opposite side edges are adjacent but not overlapping when wrapped around a pole.

Claim 24 (Currently Amended): The apparatus of claim 23 further comprising a fastener to secure the sheet in a wrapped position around the pole.

Claim 25 (Currently amended): The apparatus of claim 24 wherein the fastener comprises an elongated clip having a base with inwardly angled walls at opposite side edges of the base, in a normal position the inwardly angled walls defining an opening therebetween.

Claim 26 (Original): The apparatus of claim 25 wherein the inwardly angled walls are deformable upon application of sufficient force to hold them inwardly and downwardly so that they exert clamping pressure.

Claim 27 (Currently amended): The apparatus of claim 26 wherein the deformable walls are adapted to clamp the rolled under edges of sheet material upon deformation.

Claim 28 (Original): The apparatus of claim 1 further comprising a fastener adapted for passing through the sheet material and engagement with the pole or structure attached to the pole to prevent longitudinal movement of the sheet material.

Claim 29 (Original): The apparatus of claim 28 wherein the fastener comprises a screw.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 30 (Original): The apparatus of claim 28 wherein the fastener comprises a bolt and the item attached to the pole a nut.

Claim 31 (Original): The apparatus of claim 1 further comprising an opening formed in the covering layer.

Claim 32 (Original): The apparatus of claim 31 wherein the opening formed in the cover layer corresponds to an opening or structure on the pole.

Claim 33 (Original): The apparatus of claim 31 further comprising a sealing member adapted to be positioned around the opening in the covering layer.

Claim 34 (Original): The apparatus of claim 1 further comprising a seal on top of the covering layer relative the hole.

Claim 35 (Original): The apparatus of claim 34 wherein the seal comprises a caulk-type material.

Claim 36 (Original): The apparatus of claim 1 wherein the covering layer substantially covers all of a pole.

Claim 37 (Original): The apparatus of claim 36 wherein the covering layer is colored.

Claim 38 (Original): The apparatus of claim 37 wherein the coloring is predesigned to match an environmental feature around a pole.

Claim 39 (Original): The apparatus of claim 37 wherein the coloring is predesigned to correspond to a recognized combination of colors indicating affiliation with a group or organization.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 40 (Original): The apparatus of claim 1 wherein the covering layer is textured.

Claim 41 (Original): The apparatus of claim 1 wherein the covering layer is patterned.

Claim 42 (Currently amended): A method of protecting the exterior of substantially tall poles comprising:

covering at least a part of the pole with a separate non-corrosive material;
wherein the material comprises texturing.

Claim 43 (Original). The method of claim 42 wherein the step of covering comprises wrapping a portion of the pole with a sleeve.

Claim 44 (Original): The method of claim 43 further comprising securing adjacent portions of the sleeve relative to one another.

Claim 45 (Original): The method of claim 43 further comprising securing the sleeve against longitudinal movement along the length of the pole.

Claim 46 (Original): The method of claim 42 wherein the substantially tall poles are 30 foot or longer.

Claim 47 (Original): The method of claim 43 wherein the pole is tapered and sleeve is trapezoidal when in flat position.

Claim 48 (Original): The method of claim 42 wherein the pole comprises a plurality of sections and the covering step comprises applying a plurality of sleeves in overlapping fashion to the pole.

Claim 49 (Original): The method of claim 48 wherein the overlapping portions comprise overlapping succeeding portions above over preceding portions below.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 50 (Original): The method of claim 42 wherein the covering part comprises a flexible vinyl/acrylic alloy material.

Claim 51 (Original). The method of claim 43 wherein the sleeve has rolled opposite edges.

Claim 52 (Original): The method of claim 42 further comprising sealing the top of the sleeve relative to the pole once wrapped on the pole.

Claim 53 (Original): The method of claim 42 wherein the covering part comprises at least one of preselected color, texture, or pattern.

Claim 54 (Currently amended): A combination of ~~apparatus~~ for elevating items to substantial heights comprising:

- (a) an elongated pole of thirty feet or more in length;
- (b) a non-corrosive cover ~~positional~~positionable over a substantial portion of the exterior of the pole;
- (c) the cover comprising a textured surface.

Claim 55 (Original). The combination of claim 54 further comprising:

- (a) the covering ~~of~~comprising a plurality of trapezoidal shaped sheets predesigned in dimension ~~in~~and having opposite vertical rolled under edges;
- (b) the dimensions predesigned for wrapping each section of sleeve around a section of the pole such that opposite vertical rolled edges are adjacent but not overlapping;
- (c) a clip of C-shaped cross-section adapted to receive opposite rolled under edges of the sleeve section and deformable to clamp the rolled edges to secure the wrap sleeve to the pole.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 56 (New): An apparatus for use with substantially tall poles comprising:
a covering layer of non-corrosive material positionable around at least a part of a pole exterior;
the covering layer comprising a sheet material adapted to be wrapped around a pole;
the sheet material having top, bottom and opposite side edges; and
the opposite side edges rolled into a U-shape, both U-shapes extending on the same side of the
sheet material.

Claim 57 (New): The apparatus of claim 56 wherein the pole is 30 foot or longer when
assembled.

Claim 58 (New): The apparatus of claim 56 wherein the pole is tapered.

Claim 59 (New): The apparatus of claim 56 wherein the poles are elongated for elevating
lighting fixtures on cross-arms.

Claim 60 (New): The apparatus of claim 56 wherein the width of the sheet material is
predesigned such that opposite side edges are adjacent but not overlapping when wrapped around
a pole.

Claim 61 (New): The apparatus of claim 60 further comprising a fastener to secure the sheet
in a wrapped position around the pole.

Claim 62 (New): The apparatus of claim 61 wherein the fastener comprises an elongated
clip having a base with inwardly angled walls at opposite side edges of the base, in a normal
position the inwardly angled walls defining an opening therebetween.

Claim 63 (New): The apparatus of claim 62 wherein the inwardly angled walls are
deformable upon application of sufficient force to hold them inwardly and downwardly so that
they exert clamping pressure.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 64 (New): The apparatus of claim 63 wherein the deformable walls are adapted to clamp the rolled under edges of sheet material upon deformation.

Claim 65 (New): The apparatus of claim 56 further comprising a fastener adapted for passing through the sheet material and engagement with the pole or structure attached to the pole to prevent longitudinal movement of the sheet material.

Claim 66 (New): The apparatus of claim 65 wherein the fastener comprises a screw.

Claim 67 (New): The apparatus of claim 56 wherein the covering layer substantially covers all of a pole.

Claim 68 (New): The apparatus of claim 67 wherein the covering layer is colored.

Claim 69 (New): The apparatus of claim 68 wherein the coloring is predesigned to match an environmental feature around a pole.

Claim 70 (New): The apparatus of claim 68 wherein the coloring is predesigned to correspond to a recognized combination of colors indicating affiliation with a group or organization.

Claim 71 (New): The apparatus of claim 56 wherein the covering layer is textured.

Claim 72 (New): The apparatus of claim 56 wherein the covering layer is patterned.

Claim 73 (New): An apparatus for use with substantially tall poles comprising:
a covering layer of non-corrosive material positionable around at least a part of a pole exterior;
the covering layer comprising a sheet material adapted to be wrapped around a pole;
the sheet material is trapezoidal in a flat orientation and includes rolled edges along opposite
converging side edges.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 74 (New): The apparatus of claim 73 wherein the pole is 30 foot or longer when assembled.

Claim 75 (New): The apparatus of claim 73 wherein the pole is tapered.

Claim 76 (New): The apparatus of claim 73 wherein the poles are elongated for elevating lighting fixtures on cross-arms.

Claim 77 (New): The apparatus of claim 73 wherein the width of the sheet material is predesigned such that opposite side edges are adjacent but not overlapping when wrapped around a pole.

Claim 78 (New): The apparatus of claim 78 further comprising a fastener to secure the sheet in a wrapped position around the pole.

Claim 79 (New): The apparatus of claim 78 wherein the fastener comprises an elongated clip having a base with inwardly angled walls at opposite side edges of the base, in a normal position the inwardly angled walls defining an opening therebetween.

Claim 80 (New): The apparatus of claim 79 wherein the inwardly angled walls are deformable upon application of sufficient force to hold them inwardly and downwardly so that they exert clamping pressure.

Claim 81 (New): The apparatus of claim 80 wherein the deformable walls are adapted to clamp the rolled under edges of sheet material upon deformation.

Claim 82 (New): The apparatus of claim 73 further comprising a fastener adapted for passing through the sheet material and engagement with the pole or structure attached to the pole to prevent longitudinal movement of the sheet material.

Ser. No. 10/620,959

Attorney Docket No. P05717US01

Claim 83 (New): The apparatus of claim 82 wherein the fastener comprises a screw.

Claim 84 (New): The apparatus of claim 73 wherein the covering layer substantially covers all of a pole.

Claim 85 (New): The apparatus of claim 84 wherein the covering layer is colored.

Claim 86 (New): The apparatus of claim 85 wherein the coloring is predesigned to match an environmental feature around a pole.

Claim 87 (New): The apparatus of claim 85 wherein the coloring is predesigned to correspond to a recognized combination of colors indicating affiliation with a group or organization.

Claim 88 (New): The apparatus of claim 73 wherein the covering layer is textured.

Claim 89 (New): The apparatus of claim 73 wherein the covering layer is patterned.